

YARD TRUCK INSPECTION FORM

UNIT #:

0482

CIRCLE ONE: ON-ROAD / OFF-ROAD

COMPUTER DIAGNOSTICS	SATISFACTORY	NEEDS REPAIR NOTES		
Turn Key On - Begin Computer Diagnostics		\vee	Replacing engine	
VEHICLE EXTERIOR INSPECTION	SATISFACTORY	NEEDS REPAIR	NOTES	
Check Cab and Body Appearance - Condition and Damage		$\sqrt{}$	heavy rust	
Check Front License Plate Holder and Light (If Applicable)	V/	******		
Check Steps and Grab Handles		\bigvee	cracked and best	
Check Fuel Tank(s) - Straps, Fill Cap, Lines, Fittings	- 1	Line York	THE THE THE	
Check Inside Fuel Tank(s) For Foreign Material				
Check Batteries - Cables, Clamps, Hold-Downs, Corrosion	$\sqrt{}$			
Check Vertical Exhaust, Muffler, Clamps, and Brackets		J	rusted/missing parts	
9 Check Mirrors - Condition and Mounts		= ,	eck Kingare 7	
Check Mud Flaps, Fenders, and Mounting Hardware	120		rusted	
Check Trailer Electrical Connections, Air Hoses, Glad Hands	\\/_			
Check 5th Wheel Mounting / Jaws	J.			
neck 5th Wheel Cylinders	\ \.			
Check Upper & Lower Pivot Pins and Bushings For Excess Wear	<i>J</i> ,			
Check Frame and Crossmembers	V,			
Check Front Pintle Hook and Tow Eyes (If Applicable)				
Check Rear Pintle Hook and Tow Eyes (If Applicable)	V			
Check Front Access Panel Seals	V,			
Check Brake Wear - Rate Remaining Pad Material (1/8" - 7/8")				
Check Tire Wear - *See Graph On Last Page	V			

^{*} PROCEED AFTER COMPUTER DIAGNOSTIC IS COMPLETE *

Switze		ř	. /.	. 4
	Start Engine - Observe Instrument Operation			Lorung L
	Check All Dash / Warning Lights for Proper Operation		\vee	need repair
	Apply / Release Brakes 10 Times		\vee	
	Check Low Air Warning Buzzer and Light		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	Check Dash Parking Brake Valve Pops Out @ 35 PSI			
86	Check Foot Valve For Leaks and Proper Operation			
	Check Transmission Controls and Check For Codes		1	1
26	Check Back Up Alarm For Proper Operation (If Applicable)		V	
	Check HVAC Vents, Fan Speed, Blower Motor and Controls		J	
	Check HVAC Duct Temperature			
31	Check HVAC Interior Box Condition			
32	Check Horn(s) - Electric and Air (If Applicable)	1.		
33	Check 5th Wheel Lever Condition and Operation	/	Marines	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
34	Check 5th Wheel Jaw Release Switch For Proper Operation	J	1	
35	Check Differential Lock For Proper Operation (If Applicable)		1	
36	Check ABS Anti-Lock Monitor Light (If Applicable)	1- V 1- 3-1	i du	TO A SHIPLE IN
37	Check Parking Brake Valve	√.		/ 1
38	Check Dash Assembly Condition	J.	3	3.
39	Check All Glass Condition			
40	Check Windshield Wipers and Washers	V.		
41	Check Steering Wheel Condition	Ĭ,		
42	eneck Door Glass and Mirror Controls (If Applicable)	$\sqrt{}$		
43	Check Seat and Seat Belt For Proper Mounting and Operation	2	V.	needs seat
44	Check Condition of Floor Mat			needs repair
45	Check Seals (Boots) - Shifter / Steering Shaft	$\sqrt{}$,	- Comment of the comm
	Check Lighting Operation - Headlights, Tail/ Stop, Turn Signals		$\sqrt{}$	con not check
	Check DOT Sticker Validation (If Applicable)		V.	- V
	Check Dash-Mounted Fan(s) For Proper Operation (If Applicable)	1.		
	Check Driver's Door For Proper Operation (If Applicable)	J.		
30	Check Rear Sliding Door For Proper Operation			

.

RAI	SED CAB INSPECTION	SATISFACTORY	NEEDS REPAIR	NOTES
	Check Cab Lift Switch Operation and Condition			
	Check Cab Safety Release Cable Operation and Condition	√ ,		
	Check Cab Lift Pump Operation and Condition	\vee		
	Check Cab Lift Cylinders, Latch, and Roll Pins	/		
	Check Cab Safety Lock Bar Operation and Condition			1
	Check Oil Level and Condition			Engine removed fluids drained
	Check Transmission Fluid Level and Condition		_//	
	Check Hydraulic Fluid Level and Condition		V,	
L	Check Differential Fluid Level and Condition		V/	-
ė	Check Coolant Level and Condition		V/	
62	Check Power Steering Fluid Level and Condition	- W	V,	Tife
62	Check Master Cylinder Fluid Level and Condition (If Applicable)	t =1. =		
63	Check Radiator, Fan Drive, and Shroud	\vee		
64	Check Belts - Visual Inspection For Wear and Tension		V	0.790
65	Check Hoses - Condition and/or Leaks		V,	515-X 19-7% 1
66	Check Hose / Wire Routing and Mounting	9 -	V,	
67	Check Exhaust - Mounting, Clamping, and/or Leaks		V	
68	Check Air Cleaner Restriction Gauge		V,	
65	`heck Air Cleaner Housing, Air-To-Air Piping, and Clamping		\checkmark	
70	Check Air Cleaner Element- Visual Inspection			
	Check Air Compressor and Drier (If Applicable)			
	Check Alternator - Visual Inspection		V/	
	Check Starting System - Visual Inspection		V,	
1	Check Steering Shaft, Shaft U-Joints, Pitman Arm, Drag Link		1/	
	Check Condition of Cab Air-Ride System Components		\vee	

.

UNDER VEHICLE INSPECTION	SATISFACTORY	NEEDS REPAIR	NOTES
Check For Evidence of Leaks			
Check Engine and Transmission Mounts			
Check Driveline U-Joints and Yokes for Excessive Play	\ \ \ \ ,		
Check Springs, Hangers, and Shocks (If Applicable)			
Check Rear Air Suspension (If Applicable)	V.		
Check Tie Rod Ends	1 1		
Check Air Tanks, Air Dryer - Drain / Observe For Oil and Water		, ,	
Check Horizontal Exhaust, Muffler, Clamps (If Applicable)			
Check Brake Rod Travel		,	
Check ABS Wiring and Routing			
Check PTO, Wetline Pumps, and Hose Routing	,~		entrag.
Check Hydraulic Lines for Signs of Wear	V-, -	Fair 1	Z. Marie Ty
Check Air Ride Height (If Applicable)	1/		
Raise Front Axle - Inspect King Pins	V ,		4
COMMENTS:	TIRE PSI & V	VEAR CHART	

COMMENTS:		TIKE PSI & WEAR CHART		- 0
	engine nomoved			
	have replacement	1/4	/52	
-()	5.9 evening to install			
		[/sr]	/st)	
			Tire Pressure	PSI IN. Tread - 32nds
		/ar	AL C	