

## YARD TRUCK INSPECTION FORM

UNIT #:

CIRCLE ONE: ON-ROAD OFF-ROAD

COMPUTER DIAGNOSTICS	SATISFACTORY	NEEDS REPAIR	NOTES	
Turn Key On - Begin Computer Diagnostics		V		

VEHICLE EXTERIOR INSPECTION	SATISFACTORY	NEEDS REPAIR	NOTES
Check Cab and Body Appearance - Condition and Damage			Slight rust around
Check Front License Plate Holder and Light (If Applicable)	1	The same of the same and the same	NIA
Check Steps and Grab Handles	1	The second secon	The state of the s
Check Fuel Tank(s) - Straps, Fill Cap, Lines, Fittings	aunicimenta de contrata de la contrata del contrata del contrata de la contrata del contrata del contrata de la contrata del contrata del contrata de la contrata del contrata d	Carago pagawasa da da mada na maga da maga na maga	
Check Inside Fuel Tank(s) For Foreign Material			
Check Batteries - Cables, Clamps, Hold-Downs, Corrosion	gargan ennev vok mar ennet i direkt i direkt i diprimentation della giga jellega i que di que di tra	-	lots of corrosion clean off
Check Vertical Exhaust, Muffler, Clamps, and Brackets		1	remount exhaust tip
Check Mirrors - Condition and Mounts			TON TOOM CANDON
Check Mud Flaps, Fenders, and Mounting Hardware		- Commission of the Commission	rear Passenger mudflor Missing
Check Trailer Electrical Connections, Air Hoses, Glad Hands		territoria de la compositoria della compositoria de	1999-1990
Check 5th Wheel Mounting / Jaws		SBOOKEEN LIEU EN ALLEN ALLEN ALLEN BERTHER BERTHER GEFENNE VERSTEN BERTHER BERTHER BERTHER BERTHER BERTHER BER	
3 Check 5th Wheel Cylinders	a kuurineestitiin ja läheteisten kaiton kaiton kanatuution verkiteikuusita saaksuudeli ja ja ja ja	egin pillings of de composited by high of Pillings And Pillings replaced a demo	
Check Upper & Lower Pivot Pins and Bushings For Excess Wear		egoejanot segonajojus eksteretojanostis tira tirakerote tirakekstata	
Check Frame and Crossmembers			
6 Check Front Pintle Hook and Tow Eyes (If Applicable)	1		AN
7 Check Rear Pintle Hook and Tow Eyes (If Applicable)		gy gy g ng ng ng gyang ng n	MA
g Check Front Access Panel Seals			
g Check Brake Wear - Rate Remaining Pad Material (1/8" - 7/8")			
Check Tire Wear - *See Graph On Last Page			
	L V I	1	

\* PROCEED AFTER COMPUTER DIAGNOSTIC IS COMPLETE \*

IN-CAB INSPECTION

SATISFACTORY | NEEDS REPAIR | NOTES

	Instrument Operation			14	Trable	- 1000		01-01
22 Check All Dash / Warni	ng Lights for Proper Operation	taminan panjaran kataohidu matain juliusus sahitan d			TYPER	does	not	Start
Apply / Release Brakes	10 Times	and an experience of the second se			N/A		erek bijakustrasusus parjuunisiero birrun oradi quuri valaniskosta puudi	erik disaman kalan karkunya ana mpaka kahandi partaman na papagan papan paka basaran
Check Low Air Warning	Buzzer and Light	Medianous constitution of the state of the s					entlemanne den også alger stysske entlette film den beskallske over skallet over delen ske	
	ke Valve Pops Out @ 35 PSI	i del titi perita una del adesta falsa del provincio del come con competingo en entregio este					Billing on the service for the contract of the	ndel kuriuman kansa kunun sala kansa sili kunun sala kansa sili kunun sala kansa sili kunun sala kansa sili ku
Check Foot Valve For Le	aks and Proper Operation	latinistitutut AA vahuluslaisitutusili viitoseksi algili in sigai ensuas					Market militar des militar medical productiva de la companya consciona	in the special party of the control of the special party of the special
	trols and Check For Codes		-				Feld-Arthologic discription on the production of the contract	ng disantinangggginga makabarahawan makanggga asawan sa maka
	r Proper Operation (If Applicable)	BRANCEMENT OF THE CONTROL OF THE CON		-		hine day arvine with native paraceted banks of the opposite the first Additional reco	gerfolklingsstegdategdatersteller i filologische stelle st	
Check HVAC Vents, Fan	ipeed, Blower Motor and Controls	Model producing his original because un produced and				te namination continues and another wheelp in the participate sample of the property of the property of the participate of the	Dispublica seggia dala periodi dilatana di hamata seggia di apaghar altra periodi seggia di	
Check HVAC Duct Tempe	rature	PS/Action Commission (Commission Commission				tretor en rivida fluoristano, con colo entren o ritanza anciente indireta que con colo en colo en colo en colo	entinetinita (ha kalanda a di hilli kalanda kalanda a kalanda kalanda kalanda kalanda kalanda kalanda kalanda k	
Check HVAC Interior Box	Maria Ma	V	-				maken mentengi sebagai periodi di dampan da dangan magan sebagai penganan yang sebagai da sebagai sebagai sebag	
Check Horn(s) - Electric a	nd Air (If Applicable)	Transmission and survey with the second	-					
Check 5th Wheel Lever C			-					
	ease Switch For Proper Operation		-	THE STATE OF THE S			· · · · · · · · · · · · · · · · · · ·	
Check Differential Lock Fo	or Proper Operation (If Applicable)	Androlis diskyris seriode (d.), Aporou sikolada u giza						
Check ABS Anti-Lock Mon	itor Light (If Applicable)	till det til fredse fra skille fredse fyr farmak og til det det skille fram skille det s						The second secon
Check Parking Brake Valve	Annual to the second	and the second s	Taplany department constitution of the capabilities appreciately capabilities and the capabilities are capabilities and capabilities are capabilities and capabilities are capabilities and capabilities are capabilities and capabilities are capabilities and capabilities are capabilities and capabilities are capabilities	-		all understand durante and the control of the species and the control of the cont		Annual Callanda (1895) 11 (1914) Child (1894) Annual (1894) Child (1894) Child (1894) Child (1894) Child (1894)
Check Dash Assembly Cor		ander was equipment of the desired entered the second entered entered entered entered entered entered entered	demonstratify and the first state of the first stat					
Check All Glass Condition		~		-				Annual Contraction (Contraction Contraction Contractio
Check Windshield Wipers	and Washers							and an article of the second o
Check Steering Wheel Con			Maninestae confusionation recomply to each distribution of the state o			and the second		And the second s
Check Door Glass and Mirr	PAR SALES OF THE S							The second secon
Check Seat and Seat Belt F	or Proper Mounting and Operation		PROFESSIONAL STREET, S	-		entre a la filia de la filia de la compression de la compression de la compression de la compression de la comp		
Check Condition of Floor N	at	Activities constitution and activities activities activities activities activities and activities activit		Maria de provincia de la compansión de l				
Check Seals (Boots) - Shifte	Professional and a second and a	-			en e			
	Headlights, Tail/ Stop, Turn Signals	-	and the complete control of the complete control of the complete control of the complete control of the control			mentioner produces and accompany the programment of the contract of the contra		AND CONTROL OF THE ART THE STATE OF THE STAT
Check DOT Sticker Validation	n (If Applicable)							
Check Dash-Mounted Fan(s	For Proper Operation /If Applicab	le)	V		MIX	COLVED-ON-MINISTRAL ATTRIBUTE ATTRIB	and the state of t	- <del> </del>
neck Driver's Door For Pro	per Operation (If Applicable)	The J	1				anti-province (All Paris Annie Antonomo Contrato (Annie Annie Annie Annie Annie Annie Annie Annie Annie Annie A Annie Annie An	interiori predicitati in mone indicita prostito di consepti sendene epicate consecutati Manti, imperiori predici interiori attenza alterna poste epicate epicate epicate epicate epicate epicate epicate
Check Rear Sliding Door For	Proper Operation		- X-f	Marie Angele Marie		ProfeSundagasyndapssone\Nessedapsadonandprosedapsonessonatoriassonatoriassonatorias	www.dommy.a.g.auconolume.com/en/en/en/en/en/en/en/en/en/en/en/en/en/	Microsophyticonics of the glouder dy syntagen program and a facility

51	Check Cab Lift Switch Operation and Condition	unaconotone	11	N/A
	Check Cab Safety Release Cable Operation and Condition	American de la companya del la companya de la compa		
	Check Cab Lift Pump Operation and Condition			Cab wont go op
	Check Cab Lift Cylinders, Latch, and Roll Pins		***************************************	
	Check Cab Safety Lock Bar Operation and Condition		and the second computer of the second	
	Check Oil Level and Condition	1		
","	Check Transmission Fluid Level and Condition	permison of the construction of the constructi		cant check level
	Check Hydraulic Fluid Level and Condition	egenerale subset and extra letter (extra reconstruction and the desired cast appreciate and	1/	over filled drain flind
	Check Differential Fluid Level and Condition		CAN CONTRACTOR OF THE PROPERTY	
	Check Coolant Level and Condition	COLUMN CO	/	low top off
	Check Power Steering Fluid Level and Condition		Ac.	NA
	Check Master Cylinder Fluid Level and Condition (If Applicable)			NA
	Check Radiator, Fan Drive, and Shroud	angun u dualan paminin kermanan kelinda berkan dalah di berkan dalam persanan kelinda berkan dalam berkan dalam		NA
	Check Belts - Visual Inspection For Wear and Tension	galante la companya di Salante de la companya de l Companya de la companya de la compa		MA
	Check Hoses - Condition and/or Leaks			NA
	Check Hose / Wire Routing and Mounting	and also record to the state of		
	Check Exhaust - Mounting, Clamping, and/or Leaks		access (Salvey Contracts of Con	
S 368	Check Air Cleaner Restriction Gauge			
	Check Air Cleaner Housing, Air-To-Air Piping, and Clamping			
202	Check Air Cleaner Element- Visual Inspection			
	Check Air Compressor and Drier (If Applicable)			
224	Check Alternator - Visual Inspection			
	Check Starting System - Visual Inspection			
A	Check Steering Shaft, Shaft U-Joints, Pitman Arm, Drag Link			
5	Check Condition of Cab Air-Ride System Components			

UNDER VEHICLE INSPECTION	SATISFACTORY	NEEDS REPAIR	NOTES
Check For Evidence of Leaks		/	leaks around trans, An compe
Check Engine and Transmission Mounts		and the contraction of the contr	
Check Driveline U-Joints and Yokes for Excessive Play		mg_middigwydynanian y caprad billiadir abbrevinian gramwiddid yr hinning	
Check Springs, Hangers, and Shocks (If Applicable)	na commente matematica matematica non matematica (SAMA) (SAMA) (SAMA) (SAMA) (SAMA) (SAMA) (SAMA) (SAMA) (SAMA)	dum (SA) i de la production de la compresentación de la compresent	
Check Rear Air Suspension (If Applicable)		AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	
Check Tie Rod Ends	mangrades and an experience of the control of the c	des Guita graves de consensación esta del residio des colores de circa de colores de col	
Check Air Tanks, Air Dryer - Drain / Observe For Oil and Water			
Check Horizontal Exhaust, Muffler, Clamps (If Applicable)		AND THE RESIDENCE OF THE PROPERTY OF THE PROPE	
Check Brake Rod Travel		Margar Specimen Control of the Contr	
Check ABS Wiring and Routing		CONTRACTOR STREET	
Check PTO, Wetline Pumps, and Hose Routing		. √	plo lines reaking
Check Hydraulic Lines for Signs of Wear			
Check Air Ride Height (If Applicable)			
Raise Front Axle - Inspect King Pins			

COMMENTS:	TIRE PSI & WEAR CHART	
	123/32  Contraction of the contr	
	Tire Pressure  PSI  IN.	Tread - 32nds
	[25]	
	[ 22]	
	Commence of the commence of th	



## YARD TRUCK COSMETIC INSPECTION FORM

UNIT #:

		INSPECTOR	: Radnigo Mar	1tes
		DATE		
AB			and of the same of	
CAB EXTERIOR CONDITION & APPEARANCE				
AB-FRONT	SATISFACT	ORY NEEDS REPAIR		
1 Inspect Sheet Metal Body Panels & Seals		100	Some rist	on access
		PO	ruel and heeren	ig paint
2 Inspect Grill Panel(s)				
		entitions to the season of the		
3 Inspect Bumper				
4 Inspect Windshield Glass & Gasket		movement of the parties consistency into the consequence of the conseq		
SSENGER-SIDE	tioned of face and other places to the error and around the face of the face o			
5 Inspect Sheet Metal Body & Hood Panels				ad 18 Agrico esta con en 18 agrico por socio no en 19 agrico 19 a Agrico 19 a Agrico 19 a Agrico 19 a Agrico 19
6 Inspect Hood Hardware & Operation				
Inspect Window Glass & Seals	<b>√</b>			
8 Inspect Side Mirror & Hardware	J			and the second
		an and the same of		
9 Inspect Exhaust Stack & Heat Shield			exhaust lip back on	needs to
		be put	- back on	

DRIVER-SIDE				
10 Inspect Sheet Metal Body & Door Panels				at var vinge met verken steller verken hat verken steller var verken var vinde stelle betreve in het stelle var verken va
11 Inspect Door Hardware & Operation				
12 Inspect Window Glass & Seals			AND THE RESIDENCE OF THE PROPERTY OF THE PROPE	
13 Inspect Side Mirror & Hardware			PROTESTICAL CORP. AT CONCIDENT TO BE A PLAN CONSISTENCY AND AN ACCUSATION AND ACCUSATION ACCUSATION AND ACCUSATION ACCU	
14 Inspect Grab Handle, Step Ladder & Body Accessories				
AB-REAR				
15 Inspect Sheet Metal Body & Door Panels	<b>/</b>	The complete of the latter than the desired in the class of the control of the co	nderen in der verste v	
16 Inspect Door Hardware & Operation		COMMENSATION OF THE STATE OF TH		
17 Inspect Window Glass & Seals		SERVICIONE DE SE		
18 Inspect Grab Handle & Rear Body Accessories		аад постящая жиновиныя этиспериосная стяда этогор сы этом. ,	arment tige that plans, page and commerce was not observed as a sea debut majority page.	
AB-TOP				©
19 Inspect Sheet Metal Body Panels	/			and the second s

FRAME/	CHASSIS
FRANAE	ICHACCIC

FRANCE/CHASSIS CONDITION & APPEARANCE	SATISFACTURY	NEEDS KEPAIK	NOTES
20 Inspect All Wheels & Hubs		<b>V</b>	clean front hubs
21 Inspect Grates		needs	2nd grafe bellow door to be seewed
22 Inspect Main Frame Rails			Secores
23 Inspect Fifth Wheel Plate & Boom Arms			
24 Inspect Axles & Differential Appearance			
25 Inspect Fenders & Brackets			
26 Inspect Mudflaps & Brackets		V m.	passenger side rear mud flap ssing replace
27 Inspect Fuel Tank(s)			vegace
28 Inspect Battery Box			cables have loss of
29 Inspect All Other Frame Mounted Tanks & Components	301102/01	Crean	and repair
30 Inspect All Exterior Light Function & Appearance			MA HUCK has no

43 Inspect Window Components & Seals 42 Inspect Under-Dash Area INTERIOR 41 Inspect A/C Vents 40 Inspect All Instrument Controls 39 Inspect All Gauges & Displays 38 Inspect Side Dash Panel 37 Inspect Front Dash Panel 36 Inspect Steering Wheel & Column 35 Inspect Floor & Floor Liner 34 Inspect Interior Door Surfaces INTERIOR CONDITION & APPEARANCE 33 Inspect Interior Body Metal Surfaces 32 Inspect Roof Liner & Roof Components 31 Inspect Seat & Seat Frame 900 SATISFACTORY NEEDS REPAIR NOTES broken hangina Stn wheel Switch is needs to be cleaned out handle for spot light on replace reserve